



ArchXtract



ArchXtract License Management Portal Operation Manual

Support for Microsoft Intune

TABLE OF CONTENTS


Overview	: P3	8 . Supplement (Configuring Microsoft Intune)	
1 . Login	: P4~P5	Registering and Installing iOS Apps	: P43~P53
2 . Dashboard	: P6~P8	Registering and Installing Android Apps	: P54~P63
3 . License	: P9~P14	App protection policy settings	: P64~P71
4 . Device	: P15~P20	Setting Configuration Policies	: P72~P86
5 . Domain	: P21~P28	9 . Trouble Shooting	
6 . User	: P29~P36	①Forgot the password	: P88~P93
7 . Analysis	: P37~P41	②Attention: “Enterprise ID is not set in Intune”	: P94~P96

OVERVIEW

Administrator

User

By using the license management portal, you can manage terminals using ArchXtract and analyze active users.



1 . LOGIN

LOGIN

Enter the "email address registered as an administrator" and "password", and press "Login".

License management Login

 English  日本語

Login

E-Mail

Password

[Forgot Password?](#)

2 . DASHBOARD

DASHBOARD

After logging in, the dashboard that appears contains basic administrator information.

The screenshot shows a dashboard with a header labeled "Dashboard". Below the header, there is a section titled "My Profile :". This section contains the following information:

- Organization Name**: [Redacted]
- Customer Name**: [Redacted]
- Registered address**: [Redacted]
- Purchased Product :** ArchXtract Trial Version
(Click here for inquiries if you want to upgrade your trial license to the full version)
- Setting Information :** Bundle Id : jp.co.cegb.archxtractforstore

A blue button labeled "Details" is located to the right of the "My Profile" section. A red box highlights the "Bundle Id" field, with a red arrow pointing to it. A white box with a black border contains the text "The news regards ArchXtract appears here.", with two orange arrows pointing to the "Details" button and the "Setting Information" section.

The news regards ArchXtract appears here.

Bundle Id is required when configuring Microsoft Intune.
If you want to refer to it, please check here.

DASHBOARD

If you have any questions regarding ArchXtract, please check from "Links".

Dashboard

My Profile : [Details](#)

Organization Name [blurred]

Customer Name [blurred]

Registered address [blurred]

Purchased Product : ArchXtract Trial Version
([Click here for inquiries if you want to upgrade your trial license to the full version](#))

Setting Information : Bundle Id : jp.co.cegb.archxtractforstore

Links :

- [ArchXtract Home Page](#)
- [ArchXtract Product Feature Description](#)
- [ArchXtract Manual Download](#)
- [ArchXtract Purchase Reference Price](#)
- [Privacy Policy](#)
- [Software License Agreement](#)
- [Trouble Shooting](#)

3 . LICENSE

LICENSE / SEARCH

License management **License** Device Analysis Domain User Log off

🇺🇸 English 🇯🇵 日本語

License Management / List Search

Product Name 1

Tag 2

License Code 3

Validity Period 4 ~

Valid / Invalid 5

Max No. Of Display 6

7

1	Product Name	Product name selection
2	Tag	Searchable by Tag
3	License Code	Searchable by License Code
4	Validity Period	Searchable from the Validity Period
5	Valid / Invalid	Searchable by Valid / Invalid license
6	Max No. Of Display	The number of pages displayed can be changed from 10 to 100
7	Search	Display search results

LICENSE / SEARCH

1 ~ 13. (Total: 13)



No.	1 Product Name	2 License Type	3 Tag	4 License Code	5 No. Of Contracts	6 No. Of Allocations	Valid 7 Period From	8 Valid Period To	9 Status	Updated 10 (TimeZone) ▼
1	ArchXtract	Full ver.	[blurred]	[blurred]	100	15	2020/07/28	2021/05/08	Valid	2021/01/22 10:50:16 (UTC +08:00)
2	ArchXtract	Full ver.	[blurred]	[blurred]	4	2	2019/04/01	2020/12/18	Invalid	2020/12/18 11:19:04 (UTC +09:00)

1	Product Name	Sortable
2	License Type	Sortable
3	Tag	Sortable
4	License Code	Sortable
5	No. Of Contracts	Sortable

6	No. Of Allocations	Sortable
7	Valid Period From	Sortable
8	Valid Period To	Sortable. When it has expired, it will be displayed in blue. When it has nearing expiration date, it will be displayed in red.
9	Status	Not sortable. License valid / invalid display.
10	Updated	Time zone display. Sortable

LICENSE / DETAILS

No.	Product Name	License Type	Tag	License Code	No. Of Contracts	No. Of Allocations	Valid Period From	Valid Period To	Status	Updated (TimeZone) ▼
1	ArchXtract	Full ver.			100	15	2020/07/28	2021/05/08	Valid	2021/01/22 10:50:16 (UTC +08:00)

License Management / Details

1	Organization Name	株式会社CEGB
2	Country Name	Japan
3	Time Zone	(UTC +09:00) Asia/Tokyo
4	Product Name	ArchXtract
5	License Type	Full ver.
6	License Code	
7	LoginId	
		<input type="button" value="XMLFileDownload"/> <input type="button" value="Send the XML file to the user"/>
10	No. Of Contracts	100
11	No. Of Allocations	15
12	Validity Period	2020/07/28 ~ 2021/05/08
13	Tag	
14	Inserted	2019/05/30 13:10:28
15	Updated	2021/01/25 14:13:19
		<input type="button" value="Edit"/>
17		<input type="button" value="Device Allocation Confirmation"/>

1	Organization Name	Registered organization name
2	Country Name	Select
3	Time Zone	Set with country
4	Product Name	Product name in use
5	License Type	Show Full ver. or Trial.
6	License Code	Specified license code
7	LoginId	LoginId (used in Intune Portal)
8	XML File Download	Download the license setting file for the device
9	Send the XML file to the user	Send the license setting file to registered users
10	No. Of Contracts	Number of licenses under contract
11	No. Of Allocations	Number of licenses currently allocated
12	Valid Period	License validity period
13	Tag	Entered tag (for display purpose)
14	Inserted	Registered date and time
15	Updated	Last edit date and time
16	Edit	See next page
17	Device Allocation Confirmation	Check the assigned device

LICENSE / EDIT

Open from the license details page.

License Management / Edit

1 Organization Name 株式会社CEGB

2 Country Name Japan

3 Time Zone (UTC +09:00) Asia/Tokyo

4 Product ArchXtract

5 License Type Full ver.

6 License Code [REDACTED]

7 LoginId [REDACTED]

8 LoginId Recreate
※If you recreate it, all currently connected devices will be unassigned after recreating.

9 No. Of Contracts 100

10 No. Of Allocations 15

11 Valid Period From 7/28/2020 12:00:00 AM

12 Valid Period To 5/8/2021 12:00:00 AM

13 Tag [REDACTED]

14 Update 15 Cancel

1	Organization Name	Registered organization name
2	Country Name	Country can be set for each license.(Editable)
3	Time Zone	Time zone can be set for each country.(Editable)
4	Product	Product name
5	License Type	Show Full ver. or Trial.
6	License Code	Specified license code
7	LoginId	LoginId(used in Intune Portal)
8	LoginId Recreate (※Need Intune Portal configuration policy update manually)	If you want to change the LoginId, you can recreate it ※After re-creation, all currently assigned terminals will be unassigned. Even if you recreate it, the changes will not be applied unless you press "Update".
9	No. Of Contracts	Number of licenses under contract
10	No. Of Allocations	Number of licenses currently allocated
11	Valid Period From	License validity start date
12	Valid Period To	License expiration date
13	Tag	Entered tag for display purpose. (Editable)
14	Update	Confirm and update changes.
15	Cancel	Cancel the input and return to the previous page.

LICENSE / HISTORY

You can see the updated history list of license information at the bottom of the license details page.

License Management / Details

Organization Name 株式会社CEGB
Country Name Japan
Time Zone (UTC +09:00) Asia/Tokyo
Product Name ArchXtract
License Type Full ver.
License Code [REDACTED]
LoginId [REDACTED]

[XMLFileDownload](#) [Send the XML file to the user](#)

No. Of Contracts 100
No. Of Allocations 15
Validity Period 2020/07/28 ~ 2021/05/08
Tag [REDACTED]
Inserted 2019/05/30 13:10:28
Updated 2021/01/25 14:13:19

[Edit](#)

[Device Allocation Confirmation](#)

[Return To List](#)

License Information / Past History List

No.	Organization Name	Country Name	Time Zone	Product	License Type	Tag	LoginId	No. Of Contracts	Valid Period From	Valid Period To	Status	Updated
1	株式会社 CEGB	Malaysia	(UTC +08:00) Asia/Kuala_Lumpur	ArchXtract	Full ver.	[REDACTED]	[REDACTED]	100	2020/07/28	2021/05/08	Valid	2021/01/22 10:50:16
2	株式会社 CEGB	Malaysia	(UTC +08:00) Asia/Kuala_Lumpur	ArchXtract	Full ver.	[REDACTED]	[REDACTED]	100	2020/07/28	2021/05/08	Valid	2021/01/22 09:47:21
3	株式会社 CEGB	Malaysia	(UTC +08:00) Asia/Kuala_Lumpur	ArchXtract	Full ver.	[REDACTED]	[REDACTED]	100	2020/07/28	2021/05/08	Valid	2021/01/22 09:35:10
4	株式会社 CEGB	United States	(UTC -07:00) America/Boise	ArchXtract	Full ver.	[REDACTED]	[REDACTED]	100	2020/07/28	2021/05/08	Valid	2021/01/20 23:27:40

4 . DEVICE

DEVICE / SEARCH

License management License **Device** Analysis Domain User

English

Device Management / List Search

License Code 1

E-Mail Address 2

Device ID 3

Device Name 4

License Status 5

Device Block 6

Max No. Of Display 20 7

8

1	License Code	Searchable by License Code.
2	E-Mail Address	Searchable by registered E-Mail Address.
3	Device ID	Searchable by registered Device ID.
4	Device Name	Searchable by registered Device Name.
5	License Status	Searchable by Valid / Invalid license
6	Device Block	Searchable by Block Status
7	Max No. Of Display	The number of pages displayed can be changed from 10 to 100
8	Search	Display search results

DEVICE / SEARCH

1 UnAssign All

1 ~ 20. (Total: 38)

« « 1 2 » »

	2	3	4	5	6	7	8	9	10	11	
<input type="checkbox"/>	No.	Product Name	License Code	E-Mail Address	Device ID	Device Name	Type	Valid On	Updated (TimeZone)	Allocation Status	Block Status
<input type="checkbox"/>	1	ArchXtract	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	iOS	2020/11/30	2021/01/25 10:18:49 (UTC +09:00)	Assigned → UnAssign	Unblocked → Block
<input type="checkbox"/>	2	ArchXtract	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	iOS	2021/01/25	2021/01/25 10:08:29 (UTC +09:00)	Assigned → UnAssign	Unblocked → Block

1	UnAssign All	UnAssign all checked devices at once
2	Product Name	Sortable
3	License Code	Sortable
4	E-Mail Address	Sortable
5	Device ID	Sortable
6	Device Name	Sortable

7	Type	Sortable. The type of OS.
8	Valid On	Sortable. Assigned date.
9	Updated	Sortable. Device information update date and time.
10	Allocation Status	Display the allocation status and request the device unassign.
11	Block Status	Display the block status and request the device block.


※After "Unassign" and "Block", it may take some time before it is reflected on the device.

DEVICE / UNASSIGN

1 . If you press "UnAssign" in the red frame, the allocation of device will be unassigned and the number of licenses will be increased.

Device ID	Device Name	Type	Valid On	Updated ▼	Allocation Status	Block Status
[REDACTED]	[REDACTED]	iOS	2020/09/24	2020/12/02 16:08:12	Assigned → UnAssign	Unblocked → Block
[REDACTED]	[REDACTED]	iOS	2020/11/30	2020/12/02 14:02:00	Assigned → UnAssign	Unblocked → Block

2 . Confirmation pop-up will open, press " OK " .




DEVICE / BLOCK

1 . If there is a device you want to refuse to use, you can block it by clicking "Block" in the red frame.

Device ID	Device Name	Type	Valid On	Updated ▼	Allocation Status	Block Status
[REDACTED]	[REDACTED]	iOS	2020/09/24	2020/12/02 16:08:12	Assigned → UnAssign	Unblocked → Block
[REDACTED]	[REDACTED]	iOS	2020/11/30	2020/12/02 14:02:00	Assigned → UnAssign	Unblocked → Block

2 . Confirmation pop-up will open, press " OK ".



DEVICE / BULK UNASSIGN

1 . Click the check box and press " UnAssign All".

The screenshot shows a web interface for device management. On the left, a table lists devices with columns for 'No.', 'Product Name', 'License Code', and 'E-Mail Address'. Two rows are visible, both with checked checkboxes in the first column. A red box highlights these checkboxes. On the right, a modal window is open, featuring a red 'UnAssign All' button at the top. Below the button, it displays '1 ~ 20. (Total: 35)' and a pagination control with '1' selected. At the bottom of the modal, a smaller table shows a single device with a checked checkbox. A red box highlights this checkbox.

<input type="checkbox"/>	No.	Product Name	License Code	E-Mail Address
<input checked="" type="checkbox"/>	1	ArchXtract	[blurred]	[blurred]
<input checked="" type="checkbox"/>	2	ArchXtract	[blurred]	[blurred]

UnAssign All

1 ~ 20. (Total: 35)

« « 1 2 » »»

<input type="checkbox"/>	No.	Product Name	License Code	E-Mail Address	Device ID
<input checked="" type="checkbox"/>	1	ArchXtract	[blurred]	[blurred]	[blurred]

2 . Confirmation pop-up will open, press " OK ".

The screenshot shows a confirmation dialog box overlaid on a blurred background of the application interface. The dialog box contains the text 'Do you want to unassign the selected device?' and has a close button (X) in the top right corner. At the bottom right, there are two buttons: 'Cancel' and 'OK'. The 'OK' button is highlighted with a red box.

Do you want to unassign the selected device?

Cancel **OK**

5 . DOMAIN

DOMAIN / REGISTER

Enter the domain name that allows device connection in the red frame.

Domain

※Restrict the connection of non-registered domains

Domain Name

[Register](#) [Clear](#)

1 ~ 20. (Total: 33)

«« [«](#) **1** [»](#) [»»](#)

No.	Domain Name	
1	test.google.com	Delete
2	test.abcd.co.jp	Delete

DOMAIN / REGISTER

Press "Register".

Domain

※Restrict the connection of non-registered domains

Domain Name


1 ~ 20. (Total: 33)

« « 1 2 » »»

No.	Domain Name	
1	test.google.com	<input type="button" value="Delete"/>
2	test.abcd.co.jp	<input type="button" value="Delete"/>

DOMAIN / REGISTER

Press "OK".



The screenshot shows a web application interface with a dark blue header containing navigation tabs: "License management", "License", "Device", "Analysis", "Domain", and "User". The "Domain" tab is active. A white modal dialog box is centered on the screen, asking for confirmation to register the domain name "test.cegb.co.jp". The dialog has a close button (X) in the top right corner and two buttons at the bottom: "Cancel" and "OK". The "OK" button is highlighted with a red rectangular border. In the background, the "Domain" registration form is visible, featuring a "Domain Name" label, a text input field containing "test.cegb.co.jp", and a "Register" button. A note above the input field reads "※Restrict the connection of non-registered domains".

License management License Device Analysis **Domain** User

Do you want to register the Domain Name : 「test.cegb.co.jp」 ?

Cancel OK

Domain

※Restrict the connection of non-registered domains

Domain Name test.cegb.co.jp Register

DOMAIN / REGISTER

Registered Domain Name will be displayed in the list in the red frame.

Domain

- Domain Name Inserted

※Restrict the connection of non-registered domains

Domain Name

[Register](#) [Clear](#)

1 ~ 20. (Total: 31)

«« [«](#) **1** [2](#) [»](#) [»»](#)

No.	Domain Name	
1	test.cegb.co.jp	Delete

DOMAIN / DELETE

If you want to delete a domain, press "Delete".

Domain

※Restrict the connection of non-registered domains

Domain Name

[Register](#) [Clear](#)

1 ~ 20. (Total: 33)

«« [«](#) **1** [»](#) [»»](#)

No.	Domain Name	
1	test.google.com	Delete
2	test.abcd.co.jp	Delete

DOMAIN / DELETE

Press "OK".

The screenshot shows a web application interface with a dark blue header. The header contains navigation tabs: "License management", "License", "Device", "Analysis", "Domain", and "User". The "Domain" tab is currently selected. In the top right corner, there are language selection options: "English" and "日本語".

A white confirmation dialog box is overlaid on the interface. The dialog text reads: "Do you want to delete the Domain Name : 「test.google.com」 ?". At the bottom of the dialog, there are two buttons: "Cancel" and "OK". The "OK" button is highlighted with a red square border.

Below the dialog, the main content area is dimmed. It shows a "Domain" section with a sub-header "※Restrict the connection of non-registered domains". There is a text input field labeled "Domain Name" and two buttons: "Register" (orange) and "Clear" (green).

Below the input field, there is a pagination control showing "1 ~ 20. (Total: 33)". The pagination buttons include "«", "«", "1" (highlighted), "2", "»", and "»»".

At the bottom, there is a table with the following data:

No.	Domain Name	
1	test.google.com	Delete

DOMAIN / DELETE

Deletion completed. It disappeared from the list.

Domain

- Domain Name Deleted

※Restrict the connection of non-registered domains

Domain Name

[Register](#) [Clear](#)

1 ~ 20. (Total: 32)

« « 1 2 » »

No.	Domain Name	
1	test.abcd.co.jp	Delete

6 . USER

USER / SEARCH

License management

License

Device

Analysis

Domain

User

English 日本語

User list search / search conditions

※Restrict access to non-registered users.

Name

User Name **1**

E-mail

Email **2**

Group Name

Group Name **3**

Max No. Of Display

20 **4** ▼

5
Search

1	User Name	Searchable by User Name.
2	E-mail	Searchable by E-mail.
3	Group Name	Searchable by Group Name.
4	Max No. Of Display	The number of pages displayed can be changed from 10 to 100
5	Search	Display search results.

USER / SEARCH

<input type="checkbox"/>	No.	E-mail ¹	Name ²	Group Name ³	Input Method ⁴	⁵	⁶
<input type="checkbox"/>	1	[blurred]	[blurred]	test	Manual Entry	Edit	Delete
<input type="checkbox"/>	2	[blurred]	[blurred]	[blurred]	Device	Edit	Delete
<input type="checkbox"/>	3	[blurred]			Device	Edit	Delete
<input type="checkbox"/>	4	[blurred]			Device	Edit	Delete

¹	E-mail	Sortable
²	Name	Sortable
³	Group Name	Sortable
⁴	Input Method	Sortable. "Device" indicates that it was registered from the device, "Excel" indicates that it was registered from Excel import, and "Manual Entry" indicates that it was registered on the management portal.
⁵	Edit	Move to the edit page. See next page.
⁶	Delete	See page 33.

※User information can be export to an Excel file by pressing

[Excel Export](#)

USER / EDIT

Access User Edit

E-mail 1

Name 2

Group Name 3

4 5

1	E-mail	※E-mail cannot be changed. If you want to change it, delete the user and register a new one.
2	Name	Enter any name. (Not required)
3	Group Name	Enter any group name. (Not required)
4	Update	Confirm update
5	Cancel	Return to the previous page.


※ You can control access to users outside the domain restrictions.
Users who can control access by domain registration do not need to register.

USER / DELETE

1 . If you want to delete user, press "Delete".

<input type="checkbox"/>	No.	E-mail	Name	Group Name	Input Method		
<input type="checkbox"/>	1	[REDACTED]	[REDACTED]	test	Manual Entry	Edit	Delete
<input type="checkbox"/>	2	[REDACTED]	[REDACTED]	[REDACTED]	Device	Edit	Delete
<input type="checkbox"/>	3	[REDACTED]	[REDACTED]	[REDACTED]	Device	Edit	Delete
<input type="checkbox"/>	4	[REDACTED]	[REDACTED]	[REDACTED]	Device	Edit	Delete

2 . Confirmation pop-up will open, press " OK ".



USER / REGISTER

1 . Press "New registration" in the red frame.

User list search / search conditions

※Restrict access to non-registered users.

Name	E-mail	Group Name	Max No. Of Display	Search
<input type="text" value="User Name"/>	<input type="text" value="Email"/>	<input type="text" value="Group Name"/>	<input style="border-bottom: 1px solid black;" type="text" value="20"/>	


2 . After entering each item, press "Register". (※Name and Group Name are not required.)

Access user registration

E-mail	<input type="text"/>
Name	<input type="text"/>
Group Name	<input type="text"/>

USER / REGISTER & UPDATE

To register or update from file, follow the procedure below.



- 1 . Press A: "Excel Sample" in the figure to download the sample format.
- 2 . Edit the information in the downloaded Excel sheet. (※Email required)
- 3 . Press B: "Choose File" and select the edited Excel sheet(above procedure 2).
- 4 . Press C: "Import & Registration / Update".

※Registered users can be updated all at once, but please note that if you change an existing email address, it will be registered as a different user.

USER / BULK DELETION

1 . Check the checkbox you want to delete. The top checkbox is "Select All"

<input type="checkbox"/>	No.	E-mail	Name	Group Name	Input Method		
<input checked="" type="checkbox"/>	1	[REDACTED]	[REDACTED]	test	Manual Entry	Edit	Delete
<input checked="" type="checkbox"/>	2	[REDACTED]	[REDACTED]	[REDACTED]	Device	Edit	Delete
<input type="checkbox"/>	3	[REDACTED]			Device	Edit	Delete

2 . Press "Delete All".

New registration

Delete All

1 ~ 17. (Total: 17)

Excel Export

<input type="checkbox"/>	No.	E-mail	Name	Group Name	Input Method		
<input checked="" type="checkbox"/>	1	[REDACTED]	[REDACTED]	test	Manual Entry	Edit	Delete

7 . ANALYSIS

ANALYSIS / CONDITION SPECIFICATION

License management License Device **Analysis** Domain User

English 日本語

Usage Analysis / Graph Display

Specify the conditions and display in the graph below

Product: ArchXtract **1**

License Code: **2**

E-Mail: **3**

Device ID: **4**

Device Name: **5**

Analysis Period: 2019/12/04 **6** ~ 2020/12/04

Unit Of Horizontal: Monthly **7**

Graph Type: Column **8**


Max No. Of Display: 20 **9**

10 Data Analysis

1	Product	Select Product
2	License Code	Enter License code
3	E-Mail	Enter E-Mail
4	Device ID	Enter Device ID
5	Device Name	Enter Device Name

6	Analysis Period	Select Analysis Period
7	Unit Of Horizontal	Unit Of Horizontal Graph can be selected from "Yearly", "Monthly", and "Weekly", "Daily" according to the specified period.
8	Graph Type	The graph type can be selected from "Column", "Line", and "Bar".
9	Max No. Of Display	You can select the number of items to be displayed in the device usage list from 10 to 100.
10	Data Analysis	If you specify the conditions and press "Data Analysis", you can display the graph according to the specified conditions.

ANALYSIS / GRAPH



※ It is a graph calculated from the total number of Zip file decompressions for all devices.

※ The figure on the left is a column display.

1	Total Usage Count for Selected Period	Cumulative number of uses on all devices
2	Avg. Usage Count for selected period(%)	It is the average value obtained by dividing the value calculated in 1 by the specified unit.
3	Total Usage Count for Selected Period	Total number of uses
4	Period	Specified period

ANALYSIS / DEVICE USAGE LIST

Device Usage List Export

Excel Export ¹

UnAssign All ²

1 ~ 20. (Total: 83)

«« 1 2 3 4 5 »»

¹¹ (※Order of frequency of use: Calculated with the maximum number of times of use within the analysis period as 100%)

<input type="checkbox"/>	No.	³ License Code	⁴ Device ID	⁵ Device Name	⁶ E-Mail	⁷ Total Usage Count	⁸ Avg. Usage Count	⁹ Allocation Status	¹⁰
<input type="checkbox"/>	1	[blurred]	[blurred]		[blurred]	33	100% 😊	Unassigned	Graph Details

¹	Excel Export	Export Device Usage List displayed below to Excel sheet.
²	UnAssign All	Bulk unassign of registered devices

³	License Code	Sortable
⁴	Device ID	Sortable
⁵	Device Name	Sortable
⁶	E-Mail	Sortable

⁷	Total Usage Count	Sortable. Total number of uses on the device.
⁸	Order of Frequency of Use	Sortable. See ¹¹ ※
⁹	Allocation Status	Not sortable. Display the device allocation status.
¹⁰	Graph Details	Display detailed graph for each device.

ANALYSIS / GRAPH DETAILS

Usage Analysis / Graph Display

Specify the conditions and display in the graph below

Product **1** ArchXtract License Code **5**


E-Mail **2** Device ID **6**

Device Name **3**

Analysis Period **4** 2019/12/09 ~ 2020/12/09

Unit Of Horizontal **7** Monthly Graph Type **8** Column

9 Graph Update



1	Product	Product Name
2	E-Mail	E-mail of the user of the device.
3	Device Name	Registered device name
4	Analysis Period	Select Analysis Period
5	License Code	License Code

6	Device ID	Device ID
7	Unit Of Horizontal	Unit Of Horizontal Graph can be selected from "Yearly", "Monthly", "Weekly", and "Daily" according to the specified period.
8	Graph Type	The graph type can be selected from "Column", "Line", and "Bar".
9	Graph Update	If you specify the condition and press the graph update button, you can display the graph with the specified condition.

8 . SUPPLEMENT

CONFIGURING MICROSOFT INTUNE (Registering and Installing iOS Apps)

CONFIGURING MICROSOFT INTUNE (iOS)

(1) Open Microsoft Intune and click "Apps".

The screenshot displays the Microsoft Endpoint Manager admin center interface. The left-hand navigation pane is visible, with the 'Apps' option highlighted by a red rectangular box. The main content area shows the 'Apps | Overview' page, which includes a search bar, a list of navigation options (Overview, All apps, Monitor), a 'By platform' section with links for Windows, iOS/iPadOS, macOS, and Android, and a 'Policy' section with links for App protection policies, App configuration policies, and iOS app provisioning profiles. On the right side, there is an 'Essentials' section showing tenant information (Tenant name: cegb.co.jp, Tenant location) and a table titled 'Installation status' with a sub-section for 'Top installation failures by devices'. The table lists three entries, all for iOS, with failure counts of 7, 2, and 2.

Installation status	App protection policy status
Top installation failures by devices	
Microsoft Exchange	iOS 7
Microsoft Office Word	iOS 2
Microsoft Office Excel	iOS 2

CONFIGURING MICROSOFT INTUNE (iOS)

(2) Click "All apps".

The screenshot displays the Microsoft Endpoint Manager admin center interface. The left-hand navigation pane includes options such as Home, Dashboard, All services, FAVORITES, Devices, Apps, Endpoint security, Reports, Users, Groups, Tenant administration, and Troubleshooting + support. The main content area is titled 'Apps | Overview' and features a search bar and a sub-menu with 'All apps' highlighted by a red rectangle. Below the sub-menu are sections for 'By platform' (listing Windows, iOS/iPadOS, macOS, and Android) and 'Policy' (listing App protection policies, App configuration policies, and iOS app provisioning profiles). On the right side, there is an 'Essentials' section showing tenant information (Tenant name: cegb.co.jp, Tenant location) and a table under 'Installation status' titled 'Top installation failures by devices'.

Installation status	App protection policy status
Top installation failures by devices	
[Redacted]	iOS 7
[Redacted]	iOS 2
[Redacted]	iOS 2

CONFIGURING MICROSOFT INTUNE (iOS)

(3) Click "Add".

Home > Apps

Apps | All apps

Search (Ctrl+/) << **+ Add** Refresh Filter Export Columns

Search by name or publisher

Name	↑↓	Type	Status	Assigned
[blurred]		[blurred]		No
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes
[blurred]		[blurred]		Yes

Overview

All apps

Monitor

By platform

- Windows
- iOS/iPadOS
- macOS
- Android

Policy

- App protection policies
- App configuration policies
- iOS app provisioning profiles

CONFIGURING MICROSOFT INTUNE (iOS)

(4) Select "iOS store app" from App type.

The screenshot shows the Microsoft Intune console interface. On the left, the navigation pane is visible with 'All apps' selected. The main area displays the 'Select app type' dialog box. The 'App type' dropdown is open, showing a list of options. The 'iOS store app' option is highlighted with a red rectangular box. Other options in the list include 'Store app', 'Android store app', 'Microsoft store app', 'Managed Google Play app', 'Microsoft 365 Apps', 'Windows 10', 'macOS', and 'Microsoft Edge, version 77 and later'.

Home > Apps

Apps | All apps

Search (Ctrl+/)

Overview

All apps

Monitor

By platform

Windows

iOS/iPadOS

macOS

Android

Policy

App protection policies

+ Add Refresh

Search by name or publish

Name

Select app type

Store app

Android store app

iOS store app

Microsoft store app

Managed Google Play app

Microsoft 365 Apps

Windows 10

macOS

Microsoft Edge, version 77 and later

Windows 10

CONFIGURING MICROSOFT INTUNE (iOS)

(5) Click " Search the App Store ".

The screenshot shows the Microsoft Endpoint Manager admin center interface. The top navigation bar is dark grey with the text "Microsoft Endpoint Manager admin center". Below this is a breadcrumb trail: "Home > Apps >". The main heading is "Add App" with the subtitle "iOS store app". There are three steps in a process: "1 App information" (underlined), "2 Assignments", and "3 Review + create". Below the steps, there is a "Select app*" label with an information icon. A red rectangular box highlights the "Search the App Store" button. On the left side, there is a navigation menu with the following items: Home, Dashboard, All services, FAVORITES, Devices, Apps, Endpoint security, Reports, Users, Groups, Tenant administration, and Troubleshooting + support.

CONFIGURING MICROSOFT INTUNE (iOS)

(6) Enter "ArchXtract" in the search field and click "Select".

The screenshot shows the 'Add App' interface in Microsoft Intune. On the left, there is a sidebar with 'Home > Apps >' and 'Add App' (iOS store app). Below this, there is a section for 'App information' and a 'Select app *' button. The main area is titled 'Search the App Store' and contains a search bar with 'ArchXtract' entered, a dropdown menu for 'United States (default)', and a table of search results.

Name	↑↓	Publisher	↑↓
 ArchXtract(MDM Support)		株式会社CEGB	

CONFIGURING MICROSOFT INTUNE (iOS)

(7) Confirm that the app information is displayed correctly and click "Next".

Add App

iOS store app

✓ **App information** ② Assignments ③ Review + create

Select app * ⓘ

[Search the App Store](#)

Name * ⓘ

ArchXtract(MDM Support)

Description * ⓘ

ArchXtract is used to decompress the zip files between the microsoft intune managed applications. It is the upgrade version of first intune managed

Publisher * ⓘ

株式会社CEGB

Appstore URL

<https://apps.apple.com/us/app/archxtract-mdm-support/id1488048735?uo=4>

Minimum operating system * ⓘ

iOS 8.0

Applicable device type * ⓘ

2 selected

Category ⓘ

0 selected

Show this as a featured app in the Company Portal ⓘ

Yes **No**

Information URL ⓘ

Enter a valid url

Privacy URL ⓘ

Enter a valid url

CONFIGURING MICROSOFT INTUNE (iOS)

(8) Set the group assignment and click "Next".

✓ App information **2** Assignments 3 Review + create

Required ⓘ

Group mode	Group	VPN
No assignments		

+ Add group ⓘ + Add all users ⓘ + Add all devices ⓘ

Available for enrolled devices ⓘ

Group mode	Group	VPN
No assignments		

+ Add group ⓘ + Add all users ⓘ

Available with or without enrollment ⓘ

Group mode	Group
No assignments	

CONFIGURING MICROSOFT INTUNE (iOS)

(9) Make a final confirmation and click "Create".

Privacy URL --
Developer --
Owner --
Notes --
Logo




Assignments

Group mode	Group	VPN	Uninstall on device
> Required			
> Available for enrolled devices			
> Available with or without enrollment			
> Uninstall			
No assignments			

[Previous](#) [Create](#)

CONFIGURING MICROSOFT INTUNE (iOS)


(10) “ArchXtract” now displayed in the company portal of the iOS device.
Install from here or with Intune's "required" settings.



CONFIGURING MICROSOFT INTUNE (Registering and Installing Android Apps)

CONFIGURING MICROSOFT INTUNE (Android)

(1) Open Microsoft Intune and click "Apps".




The screenshot displays the Microsoft Endpoint Manager admin center interface. The left-hand navigation pane is visible, with the 'Apps' option highlighted by a red rectangular box. The main content area shows the 'Apps | Overview' page, which includes a search bar, a list of navigation options (Overview, All apps, Monitor), and a section for 'By platform' with links for Windows, iOS/iPadOS, macOS, and Android. Below this, there are links for 'Policy' management, including App protection policies, App configuration policies, and iOS app provisioning profiles. On the right side of the main area, there is an 'Essentials' section showing tenant information (Tenant name: cegb.co.jp, Tenant location) and a table titled 'Top installation failures by devices' under the 'Installation status' tab.

Installation status	App protection policy status
Top installation failures by devices	
Microsoft Edge	iOS 7
Microsoft Edge	iOS 2
Microsoft Edge	iOS 2

CONFIGURING MICROSOFT INTUNE (Android)

(2) Click "All apps".



The screenshot displays the Microsoft Endpoint Manager admin center interface. The left-hand navigation pane is visible, with the 'All apps' option highlighted by a red rectangular box. The main content area shows the 'Apps | Overview' page, which includes a search bar, a list of navigation options (Overview, All apps, Monitor), and sections for 'By platform' (Windows, iOS/iPadOS, macOS, Android) and 'Policy' (App protection policies, App configuration policies, iOS app provisioning profiles). On the right side, there is an 'Essentials' section with tenant information (Tenant name: cegb.co.jp, Tenant location) and a table titled 'Top installation failures by devices' under the 'Installation status' tab.

Installation status	App protection policy status
Top installation failures by devices	
Microsoft Edge	iOS 7
Microsoft Edge	iOS 2
Microsoft Edge	iOS 2

CONFIGURING MICROSOFT INTUNE (Android)

(3) Click "Add".

Home > Apps

Apps | All apps

Search (Ctrl+/) << **+ Add** Refresh Filter Export Columns

Search by name or publisher

Name	↑↓	Type	Status	Assigned
[Blurred]		[Blurred]		No
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes
[Blurred]		[Blurred]		Yes

Overview

All apps

Monitor

By platform

- Windows
- iOS/iPadOS
- macOS
- Android

Policy

- App protection policies
- App configuration policies
- iOS app provisioning profiles

CONFIGURING MICROSOFT INTUNE (Android)

(4) Select Android store app from "App type" and click "Select".

The screenshot displays the Microsoft Intune management console. On the left, the navigation pane shows 'Apps | All apps' selected. The main area shows a search bar and a list of app types. A dialog box titled 'Select app type' is open, showing a list of app types. The 'Android store app' option is highlighted with a red box.

Home > Apps

Apps | All apps

Search (Ctrl+/)

Overview

All apps

Monitor

By platform

Windows

iOS/iPadOS

macOS

Android

Policy

App protection policies

+ Add Refresh

Search by name or publish

Name

Select app type
Create app

App type

Select app type

Store app

Android store app

iOS store app

Microsoft store app

Managed Google Play app

Microsoft 365 Apps

Windows 10

macOS

Microsoft Edge, version 77 and later

Windows 10

CONFIGURING MICROSOFT INTUNE (Android)

(5) Enter the App information.

Add App

Android store app

1 App information

2 Assignments

3 Review + create

Name * ⓘ

Description * ⓘ

Publisher * ⓘ

Appstore URL * ⓘ

Minimum operating system * ⓘ

Android 4.0 (Ice Cream Sandwich) ▼

Category ⓘ

0 selected ▼

Show this as a featured app in the Company Portal ⓘ

Yes No

Information URL ⓘ

Privacy URL ⓘ

Developer ⓘ

Name : Any Text

Description : Any Text

Publisher: CEGB Corporation

App Store URL:

<https://play.google.com/store/apps/details?id=jp.co.cegb.archxtractforstore>

Minimum operating system :
Android 7.1 (Nougat)

CONFIGURING MICROSOFT INTUNE (Android)

(6) Click Next when you are done.

1 App information 2 Assignments 3 Review + create

Name * ⓘ

Description * ⓘ

Publisher * ⓘ

Appstore URL * ⓘ

Minimum operating system * ⓘ

Category ⓘ

Show this as a featured app in the Company Portal ⓘ

Information URL ⓘ

Privacy URL ⓘ

Developer ⓘ

CONFIGURING MICROSOFT INTUNE (Android)

(7) Set the group assignment and click "Next".

✓ App information **2** Assignments 3 Review + create

Required ⓘ

Group mode	Group	VPN
No assignments		

+ Add group ⓘ + Add all users ⓘ + Add all devices ⓘ

Available for enrolled devices ⓘ

Group mode	Group	VPN
No assignments		

+ Add group ⓘ + Add all users ⓘ

Available with or without enrollment ⓘ

Group mode	Group
No assignments	

CONFIGURING MICROSOFT INTUNE (Android)

(8) Make a final confirmation and click "Create".

Privacy URL --
Developer --
Owner --
Notes --
Logo




Assignments

Group mode	Group	VPN	Uninstall on device
> Required			
> Available for enrolled devices			
> Available with or without enrollment			
> Uninstall			
No assignments			

[Previous](#) [Create](#)

CONFIGURING MICROSOFT INTUNE (Android)


- (9)) “ArchXtract” now displayed in the company portal of the android device.
Install from here or with Intune's "required" settings.







MICROSOFT INTUNE SETTINGS (App protection policy settings)

APP PROTECTION POLICY SETTINGS

(1) Open "Intune".



Azure services



Recent resources

Name

Type

APP PROTECTION POLICY SETTINGS

(2) Click “App protection policies.”

The screenshot displays the Microsoft Intune console interface. On the left, a navigation pane shows the 'App protection policies' option highlighted with a red rectangle. The main content area is titled 'Essentials' and shows tenant information: 'Tenant name cegb.co.jp', 'Tenant location', 'MDM auth Microsoft', and 'Account status Active'. Below this, there are two tabs: 'Installation status' (selected) and 'App protection policy status'. The 'Installation status' tab shows a table titled 'Top installation failures by devices' with three rows of data. To the right of this table, a summary card displays 'Apps with installation failures' and a large number '5' with a red exclamation mark icon.

App name	Platform	Count
[Redacted]	iOS	7
[Redacted]	iOS	2
[Redacted]	iOS	2

APP PROTECTION POLICY SETTINGS

(3) Select the policy you want to use from the list.

The screenshot shows the 'Apps | App protection policies' page in the Microsoft Intune console. The left sidebar contains navigation options: Overview, All apps, Monitor, By platform (Windows, iOS/iPadOS, macOS, Android), and Policy (App protection policies, App configuration policies). The main area displays a table of policies with the following columns: Policy, Deployed, Updated, and Platform. A search bar and action buttons (Create policy, Refresh, Columns, Export) are at the top. A red box highlights the first seven rows of the table.

Policy	Deployed	Updated	Platform
...	Yes	11/15/19, 9:39 AM	iOS/iPadOS
...	Yes	10/12/20, 11:12 AM	Android
...	Yes	9/25/20, 1:33 PM	iOS/iPadOS
...	Yes	10/29/20, 2:57 PM	iOS/iPadOS
...	Yes	11/19/20, 9:58 AM	iOS/iPadOS
...	Yes	8/28/19, 3:28 PM	Android
...	Yes	8/28/19, 3:27 PM	iOS/iPadOS
...	No	9/20/19, 11:31 AM	iOS/iPadOS

APP PROTECTION POLICY SETTINGS

(4) Click the "Properties".

Intune App Protection

Search (Ctrl+/) << Delete policy

Overview

Manage

Properties

Help and support

Diagnose and solve problems

Essentials

Description --- Platform iOS/iPadOS

Apps 28 Management All app types

User check-in per app	CHECK-IN COUNT
[Redacted]	2
[Redacted]	2
[Redacted]	0
[Redacted]	0
[Redacted]	4
[Redacted]	5

APP PROTECTION POLICY SETTINGS

(5) Click "Edit" Apps item.

The screenshot shows the 'Intune App Protection | Properties' page in the Microsoft Intune console. The left-hand navigation pane includes sections for 'Overview', 'Manage' (with 'Properties' selected), and 'Help and support' (with 'Diagnose and solve problems'). The main content area is titled 'Basics Edit' and displays the following properties:

- Name: [Redacted]
- Description: --
- Platform: iOS/iPadOS
- Apps Edit: [Redacted] (The 'Edit' link is highlighted with a red box)
- Target to apps on all device types: Yes
- Device types: --
- Public apps: [Redacted]

APP PROTECTION POLICY SETTINGS

(6) Click "Select custom apps".

The screenshot shows the 'App Protection Policy Settings' interface. On the left is a navigation sidebar with the following items: 'Users', 'Groups', 'Tenant administration', and 'Troubleshooting + support'. The main content area is titled 'Custom apps' and contains a list of ten entries. Each entry consists of a blurred application name on the left and a 'Remove' button on the right. At the bottom of the main area, there is a button labeled '+ Select custom apps', which is highlighted with a red rectangular border.

Custom apps	Remove
[blurred]	Remove

[+ Select custom apps](#)

APP PROTECTION POLICY SETTINGS

(7) Enter the Bundle ID in the red frame and click Add. ❌Bundle ID : jp.co.cegb.archextractforstore

The screenshot shows a 'Select apps to target' dialog box. On the left, a list of items with 'Remove' links is partially visible. The dialog box has a search bar labeled 'Search by Bundle ID' with a green checkmark. Below it, the text 'More apps' and 'Bundle ID' is shown. A search input field contains the text 'jp.co.cegb.archextractforstore' and has a green checkmark. This input field is highlighted with a red rectangular border. Below the search field is an 'Add' button. A scrollable list of application bundle IDs is visible at the bottom of the dialog box.

CONFIGURING MICROSOFT INTUNE (Setting Configuration Policies)

CONFIGURING MICROSOFT INTUNE


- (1) ArchXtract requires special settings in the intune app configuration policy.
Click "App configuration policies".

The screenshot shows the Microsoft Intune console interface. On the left, a navigation pane contains several categories: Overview, All apps, Monitor, By platform (Windows, iOS/iPadOS, macOS, Android), and Policy. Under the Policy category, 'App configuration policies' is highlighted with a red rectangular box. The main content area on the right displays tenant information (Tenant name: cegb.co.jp, Tenant location: [redacted]), MDM authentication (Microsoft), and account status (Active). Below this, there are two tabs: 'Installation status' (selected) and 'App protection policy status'. The 'Installation status' tab shows a table titled 'Top installation failures by devices' with three rows of data. To the right of this table, a summary card indicates 'Apps with installa:' and a large number '5' with a red exclamation mark icon.

Device	Platform	Count
[redacted]	iOS	7
[redacted]	iOS	2
[redacted]	iOS	2

CONFIGURING MICROSOFT INTUNE

(2) Click "Add".




The screenshot shows the Microsoft Intune 'Apps' page. The left sidebar contains navigation options: Overview, All apps, Monitor, and a 'By platform' section with Windows, iOS/iPadOS, macOS, and Android. Below that is a 'Policy' section with App protection policies and App configuration policies. The main content area shows a search bar with 'Search (Ctrl+ /)', a table of app configuration policies, and a '+ Add' button highlighted with a red box. The table has columns for Name, Platform, Assigned, and Updated.

Name ↑↓	Platform ↑↓	Assigned ↑↓	Updated ↑↓
[blurred]		Yes	2020/5/13 11:07:20
[blurred]		No	2020/9/14 11:50:00
[blurred]		Yes	2020/11/19 10:43:30
[blurred]		Yes	2020/10/12 11:09:25
[blurred]		Yes	2018/2/7 15:22:27
[blurred]	iOS	Yes	2018/6/29 9:51:15

CONFIGURING MICROSOFT INTUNE

(3) Select "Managed apps".



The screenshot displays the Microsoft Intune management console. The page title is "Apps | App configuration policies". On the left, there is a navigation pane with a search bar and several menu items: "All apps", "Monitor", "By platform" (with sub-items for Windows, iOS/iPadOS, macOS, and Android), and "Policy" (with sub-items for App protection policies, App configuration policies, iOS app provisioning profiles, and S mode supplemental policies). The "App configuration policies" item is currently selected. In the main content area, there is a "+ Add" button and a dropdown menu. The "Managed apps" option in the dropdown is highlighted with a red box. Below the dropdown is a table with the following columns: "Platform", "Assigned", and "Updated". The table contains several rows of data, including one row for an iOS app.

	Platform ↑↓	Assigned ↑↓	Updated ↑↓
		Yes	2020/5/13 11:07:20
		No	2020/9/14 11:50:00
		Yes	2020/11/19 10:43:30
		Yes	2020/10/12 11:09:25
		Yes	2018/2/7 15:22:27
	iOS	Yes	2018/6/29 9:51:15

CONFIGURING MICROSOFT INTUNE

(4) Enter "Name".

Create app configuration policy

1 Basics 2 Settings 3 Assignments 4 Review + create

Name *

Description

Device enrollment type Managed apps

Public apps	Platform	Remove
No public apps selected		
+ Select public apps		
Custom apps	Platform	Remove
No custom apps selected		
+ Select custom apps		

CONFIGURING MICROSOFT INTUNE

(5) Click "Select custom apps".

Create app configuration policy

1 Basics 2 Settings 3 Assignments 4 Review + create

Name *

Description

Device enrollment type Managed apps 

Public apps	Platform	Remove
No public apps selected		
+ Select public apps		
Custom apps	Platform	Remove
No custom apps selected		
+ Select custom apps		

CONFIGURING MICROSOFT INTUNE

(6) Enter the Bundle ID.

(Bundle ID : jp.co.cegb.archextractforstore)

Configuration policy

3 Assignments 4 Review + create

Managed apps

Platform	Remove
----------	--------

Platform	Remove
----------	--------

Select apps to target

More apps

Bundle or Package ID

Platform

Add

com.contoso.app	Android
-----------------	---------

com.contoso.app	iOS/iPadOS
-----------------	------------

com.contoso.app	Android
-----------------	---------

com.contoso.app	iOS/iPadOS
-----------------	------------

com.contoso.app	Android
-----------------	---------

com.contoso.app	iOS/iPadOS
-----------------	------------

com.contoso.app	Android
-----------------	---------

CONFIGURING MICROSOFT INTUNE

(7) Select the platform you want to use and select the bundle ID displayed.

The screenshot shows the Microsoft Intune configuration interface. On the left, a 'Policy' configuration page is partially visible, showing 'Assignments' with a 'Review + create' button. The main focus is a 'Select apps to target' dialog box. This dialog has a search bar containing 'jp.co.cegb.archxtractforstore' with a green checkmark. Below it, the 'Bundle or Package ID' field contains 'com.contoso.app'. The 'Platform' dropdown menu is open, showing 'Android' selected, with 'iOS/iPadOS' and another 'Android' option visible below it. At the bottom of the dialog, a table lists the selected app configurations:

jp.co.cegb.archxtractforsto...	Android
jp.co.cegb.archxtractforsto...	iOS/iPadOS

- If you use both iOS and Android, please add the app configuration policy for each OS separately.

CONFIGURING MICROSOFT INTUNE

(8) Click "Select".

The screenshot displays the Microsoft Intune configuration interface. On the left, a vertical pane titled "Managed apps" contains a table with two rows, each showing "Platform" and "Remove" options. On the right, a selection area shows two app entries: "jp.co.cegb.archxtractforsto... Android" and "jp.co.cegb.archxtractforsto... iOS/iPadOS". Below these, a "Selected Apps:" section lists the same two apps with "Remove" links. At the bottom, a blue "Select" button is highlighted with a red rectangular border.

Managed apps	
Platform	Remove
Platform	Remove

jp.co.cegb.archxtractforsto... Android

jp.co.cegb.archxtractforsto... iOS/iPadOS

Selected Apps:

jp.co.cegb.archxtract...	Android	Remove
jp.co.cegb.archxtract...	iOS/iPadOS	Remove

Select

CONFIGURING MICROSOFT INTUNE

(9) Click "Next" button.

1 Basics 2 Settings 3 Assignments 4 Review + create

Name *

Description

Device enrollment type Managed apps 

Public apps	Platform	Remove
No public apps selected		
+ Select public apps		
Custom apps	Platform	Remove
jp.co.cegb.archxtractforstore	Android	Remove
jp.co.cegb.archxtractforstore	iOS/iPadOS	Remove
+ Select custom apps		

Previous Next

CONFIGURING MICROSOFT INTUNE

(10) Enter "**LoginId**" in the "Name" field,
and enter the LoginId confirmed in 8 (p. 14) in the "Value" field.

★Mandatory

[Home](#) > [Apps](#) >

Create app configuration policy

✓ Basics **2** Settings ③ Assignments ④ Review + create

^ General configuration settings

Name	Value
<input type="text" value="Name"/>	<input type="text" value="Value"/>

- L and I in "LoginId" are uppercase letters, the rest are lowercase letters. It does not include spaces.
- Please be sure **not** include spaces before or after the name and value.


CONFIGURING MICROSOFT INTUNE

(11) In ArchXtract app, display the following settings for the advanced options.

✓ Basics **2 Settings** 3 Assignments 4 Review + cre:

^ General configuration settings

Name	Value
CurrentEncoding	shift_jis
DefaultEncoding	shift_jis
DelListWhenBackground	false
SendErr	false
LoginId	FFFFFFF
Name	Value



Not Mandatory

- Current character code
Name : CurrentEncoding
Value : Enter the value displayed.
(default: shift_jis)
- Default character code
Name: DefaultEncoding
Value : Enter the value displayed.
(default: shift_jis)
- File Delete Option
Name: DelListWhenBackground
Value: If switch off, false
If switch on, true
(default: false)
- Error mail setting
Name: SendErr
Value: If switch off, false
If switch on, true
(default: false)

CONFIGURING MICROSOFT INTUNE

(12) Click "Next".

✓ Basics **2 Settings** ③ Assignments ④ Review + create

^ General configuration settings

Name	Value	
CurrentEncoding	shift_jis	...
DefaultEncoding	shift_jis	...
DelListWhenBackground	false	...
SendErr	false	...
LoginId	FFFFFFFF-FFFF-FFFF-FFFF	...
<input type="text" value="Name"/>	<input type="text" value="Value"/>	

Previous

Next

CONFIGURING MICROSOFT INTUNE

(13) Click “Select groups to include” , assign group and click "Next".

✓ Basics ✓ Settings **3 Assignments** 4 Review + create

Included groups

Selected groups

No groups selected

[+ Select groups to include](#)

Excluded groups

i When excluding groups, you cannot mix user and device groups across include and exclude. [Click here to learn more.](#)

Selected groups

No groups selected

[+ Select groups to exclude](#)

[Previous](#) [Next](#)

CONFIGURING MICROSOFT INTUNE

(14) After confirming the entered contents, click "Create".

Create app configuration policy

✓ Basics ✓ Settings ✓ Assignments **4 Review + create**

Summary

Basics

Name	ArchXtract Conf
Description	test conf
Device enrollment type	Managed apps
Public apps	--
Custom apps	jp.co.cegb.archxtractforstore

Settings

General configuration settings

Name	Value
CurrentEncoding	shift_jis
DefaultEncoding	shift_jis
DelListWhenBackground	false

Previous

Create

9 . TROUBLE SHOOTING

① FORGOT THE PASSWORD

TROUBLE SHOOTING / FORGOT THE PASSWORD

If you forget your password, click "Forgot Password?" in the red frame.

License management

Login

 English  日本語

Login

E-Mail

Password

Login

[Forgot Password?](#)

TROUBLE SHOOTING / FORGOT THE PASSWORD

After entering the registered E-Mail as an administrator, press "Password Reset".

License management Login

 English  日本語

Password Reset

E-Mail

Reset the current password, and set the new password.
Please enter your email address and press Reset Password.

TROUBLE SHOOTING / FORGOT THE PASSWORD

The Password Reset URL will be sent to the email address you entered, so click on the URL.

ArchXtract Support 


To  ▼

You have reset your login password.
Please reset your password from the URL below.



TROUBLE SHOOTING / FORGOT THE PASSWORD

Enter the administrator's E-Mail, enter the new password, and press "Registration".

License management

Login

 English  日本語

Password Setting

E-Mail

Password
ⓘ

Confirmation Password

TROUBLE SHOOTING / FORGOT THE PASSWORD

Password change completed.

License management

Password Change Confirmation


The password has been updated. [Click here to Login](#)

Copyright 2020 © CEGB Co., Ltd. All Rights Reserved.

**② ATTENTION:
“ENTERPRISE ID IS
NOT SET IN INTUNE”**

TROUBLE SHOOTING / ATTENTION

If the Attention "Enterprise ID is not set in Intune" is displayed as shown below, check the Intune configuration policy.



TROUBLE SHOOTING / ATTENTION

In particular, please note that it is easy to make a mistake in setting "LoginId".

Home > Apps >

Create app configuration policy

✓ Basics **2 Settings** ③ Assignments ④ Review + create

^ General configuration settings

Name	Value
<input type="text" value="Name"/>	<input type="text" value="Value"/>

※ L and I in "LoginId" are uppercase letters, the rest are lowercase letters. It does not include spaces.

Please be sure not include spaces before or after the name and value.

END