



# ArchXtract



## ArchXtract App User Manual

### Support for Microsoft Intune

# TABLE OF CONTENTS


1. Enterprise login from the setting page	: P3~P6
2. Enterprise login when decompressing Zip	: P7~P9
3. Enterprise login using xml file	: P10~P18
4. Enterprise logout	: P19~P23
5. Unzip and open files	: P24~P27
6. Function introduction	: P28~P39
7. Version confirmation	: P40~P42

# ENTERPRISE LOGIN FROM THE SETTING PAGE


# LOGIN FROM THE SETTING PAGE

(1) Login to Intune. ❌ Must comply with Intune policy.


① Tap "Intune Login" from the setting page.



② Wait for apply the Intune policy.



③ Login completed.




❌ For Android, do not need to login to Intune because will be login automatically.

# LOGIN FROM THE SETTING PAGE


(2) In Enterprise Login, login to the License management server for device registration.

※ You need to be connected to the network when “Enterprise Login”.


① Tap Enterprise Login




② Tap Agree



③ Tap login




④ Tap OK



# LOGIN FROM THE SETTING SCREEN


## ⑤ Login completed




# ENTERPRISE LOGIN WHEN DECOMPRESSING ZIP

# LOGIN WHEN DECOMPRESSING ZIP


① Open the Zip file in ArchXtract from your e-mail.




② Tap "OK" under "Attention".



③ Select "Agree" and tap "OK".




④ Tap "Login".



# LOGIN WHEN DECOMPRESSING ZIP

⑤ Login completed



# ENTERPRISE LOGIN USING XML FILE (iOS)

# LOGIN USING XML FILE (iOS)

You can also login using an XML file.

Allows you to Enterprise Login with the attached XML file from e-mail.




※ Make sure it has the following format.

E-mail address can be edited (only registered e-mail or domain in License Management)


```
<?xml version="1.0" encoding="UTF-8"?>
- <dict>
  <key>LoginId</key>
  <string>[REDACTED]</string>
  <key>Email</key>
  [REDACTED]
  <key>CurrentEncoding</key>
  <string>shift_jis</string>
  <key>DefaultEncoding</key>
  <string>shift_jis</string>
  <key>DelListWhenBackground</key>
  <string>>false</string>
  <key>SendErr</key>
  <string>>false</string>
</dict>
```

# LOGIN USING XML FILE (iOS)


① Open the e-mail that received the xml file




② Tap Open In



③ Tap Share File




④ Tap ArchXtract




# LOG IN USING XML FILE (iOS)


⑤ If ArchXtract isn't on the list, check "More"



⑥ ArchXtract will start. Select "Agree" and tap "OK"



⑦ Tap "Login"




⑧ Login completed




# ENTERPRISE LOGIN USING XML FILE (Android)

# LOG IN USING XML FILE (Android)


① Open the e-mail that received the xml file




② After agreeing, tap "OK"



③ Tap "Login"




④ Login completed



# SUPPLEMENT (ABOUT XML FILE)


# SUPPLEMENT

If “Enterprise Login” completed using the XML file, displayed e-mail address under “Enterprise Login” label is same in the XML file.



```
<?xml version="1.0" encoding="UTF-8"?>
- <dict>
  <key>LoginId</key>
  <string>[REDACTED]</string>
  <key>Email</key>
  <string>[REDACTED]</string>
  <key>CurrentEncoding</key>
  <string>shift_jis</string>
  <key>DefaultEncoding</key>
  <string>shift_jis</string>
  <key>DelListWhenBackground</key>
  <string>>false</string>
  <key>SendErr</key>
  <string>>false</string>
</dict>
```

# SUPPLEMENT



If “Enterprise Login” completed using the Intune Account, displayed e-mail address under “Enterprise Login” label and “Intune Login ID” label are the same .


```
<?xml version="1.0" encoding="UTF-8"?>
- <dict>
  <key>LoginId</key>
  <string>[REDACTED]</string>
  <key>Email</key>
  <string/>
  <key>CurrentEncoding</key>
  <string>shift_jis</string>
  <key>DefaultEncoding</key>
  <string>shift_jis</string>
  <key>DelListWhenBackground</key>
  <string>>false</string>
  <key>SendErr</key>
  <string>>false</string>
</dict>
```

# ENTERPRISE LOGOUT (iOS)

# ENTERPRISE LOGOUT (iOS)

❌ Devices that no longer use ArchXtract can promptly unassign the license by logout.


① Tap "Logout" in the red frame.



② Tap "Logout".




③ Logout completed.




# ENTERPRISE LOGOUT (iOS)

Intune logout is also possible (✖not required)

① Tap "Intune Logout" in the red frame.




② Logout completed.




# ENTERPRISE LOGOUT (Android)

# ENTERPRISE LOG OUT (Android)


① Tap Logout



② Tap Logout



③ Logout completed.




※For Android, Intune logout is not required.


# UNZIP AND OPEN FILES

# UNZIP AND OPEN FILES

① Tap the Zip file from your e-mail




② Tap Open In



③ Tap "Share File via.."




④ Select ArchXtract




# UNZIP AND OPEN FILES


⑤ If ArchXtract isn't on the list, check "More"




⑥ If the Zip has a password, enter it.



⑦ Tap the opened file




⑧ Select an app to open



# UNZIP AND OPEN FILES

⑨ File reading completed




✘ File decompression is also available when offline.

# FUNCTION INTRODUCTION

# FUNCTION INTRODUCTION

## ArchXtract Features

- **Encoding selection**
- **File deletion in the app background**
- **Log transmission function**
- **License automatic update**



# FUNCTION-ENCODING




- Encoding selectable.
- It can handle various character codes and prevent garbled characters.

# FUNCTION-ENCODING


① From Settings, tap Detail Options.



② Tap the red frame.




③ After tapping, you can select the encoding from the list below.




# FUNCTION-SEND MAIL

- When an error occurs, you can attach the log to an email and send it.
- Once send an error log information to ArchXtract Technical Support, promptly response is possible.




# FUNCTION-SEND MAIL


① From Settings, tap Detail Options.




② Turn on ErrMail Option and tap Send Mail



③ Select the mail app.



④ Enter the destination you want to send.




# FUNCTION-SEND LOG




- When an error occurs, if you are login, you can send the log just tap a button. The information to be sent is the same log file as the mail sending function.
- It will be sent to the License Management server for troubleshooting purpose.

# FUNCTION-SEND LOG


① Open the setting page.




② Press "Send to server" in "Send log to server"



③ Tap "Log Send".



④ The transmission is complete.




# FUNCTION-FILE DELETION




- ArchXtract can specify automatic file deletion.
- After decompressing the file, it is possible to set whether to delete the decompression result without leaving the cache when performing another work such as telephone calling and etc.,

# FUNCTION-FILE DELETION


① Enable the File Delete Option and tap "OK".




② Unzip the zip file with ArchXtract.




③ You will return to the home.



④ When you open ArchXtract again, the file is deleted.




# FUNCTION-UPDATE




- ArchXtract will automatically renew license.  
Re-authenticate your Enterprise Login at the same time.
- You can also renew your license manually.

# FUNCTION-UPDATE (MANUAL)


① Open the setting page.




② Press "Update".



③ License renewal will start.





④ Update completed.



# VERSION CONFIRMATION

# VERSION CONFIRMATION

① Open the settings page and tap "About"



You can check the versions of ArchXtract and Intune SDK

# Q & A

If you have any questions, please contact us for the following.

〈 Reception desk〉

CEGB Co., Ltd ArchXtract Support

E-mail : [ze\\_support@cegb.co.jp](mailto:ze_support@cegb.co.jp)

Reception hours: 10:00 a.m. - 4:00 p.m. (excluding Saturdays, Sundays and holidays)